

CITY OF TACOMA
REQUEST FOR QUOTATION
GENERAL TERMS AND CONDITIONS

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

<http://cms.cityoftacoma.org/purchasing/StandardTermsandConditions.pdf>



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION
6000053140**

Return Bids By 11:00 AM, 03/13/2025 to: sendbid@cityoftacoma.org
Merry Elizabeth Mitchell Water Purchasing ABN 4th Floor NE 3628 South 35th Street Tacoma WA 98409
Material will ship to:
Water Warehouse 3506 S 35th St Tacoma WA 98409

RFQ Information	
Collective Bid #	TW25-0065N
Bid Issue Date	03/04/2025
Vendor Number	109226 WEB VENDOR FOR RFQ
Vendor Information (vendor to complete)	
Firm Name:	
Address:	
City/State/Zip	/ /
Phone/Fax	/
E-Mail	
Contact Name	
Payment Terms	%, days (e.g. 2% 10,N30)
Tacoma Bus. Lic. #	
Taxpayer ID #	
SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID	
x _____	DATE: ___ / ___ / _____
NAME : _____	
TITLE : _____	

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>The City of Tacoma is soliciting bids for purchase of Hardware Non-Electrical (Stock)</p> <p>Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.</p> <p>Please include the Collective Bid Number, TW25-0065N, in the subject line of your e-mail.</p> <p>Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal. The City accepts no responsibility for transmission errors.</p> <p>We are unable to verify receipt of submittals due to the large volume of submittals received.</p> <p>Extend net price and provide net total value. All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.</p> <p>Materials must be new and unused. No substitutes are allowed. Substitute items will be returned at vendor's expense.</p> <p>Delivery date will default to two weeks ARO if vendor fails to provide.</p>					



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053140

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>Please Circle or underline the part number and manufacturer quoted or bid may be considered non-responsive.</p> <p>If applicable, you must select from the approved manufacturer(s) listed. Substitutions will not be approved at the time of the bid awarding. If you have a material that you would like to have added, it must be submitted for review and approved by the City of Tacoma's Material Committee before the bid issue date listed on this request for quotation. For more information regarding this process, please contact: Merry Mitchell, mmitchell@cityoftacoma.org</p> <p>Responses MUST BE SUBMITTED on the provided City of Tacoma bid solicitation form. Vendor signature is MANDATORY.</p> <p>Bid results will be posted at: http://www.cityoftacoma.org/government/city_deparents/finance/procurement_and_payables_division/purchasing/bid_results/</p> <p>Note: You must register at this website as a bid holder for each solicitation of interest in order to receive notification regarding amendments or other updates to the original bid solicitation documents.</p> <p>City Contact: Merry Mitchell, mmitchell@cityoftacoma.org</p>					



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053140

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
10	31297	<p>GLAND PACK,16IN MEGALUG,MJ,DI 16" RESTRAINING GLAND PACK. MECHANICAL JOINT. DUCTILE IRON, CONFORMING TO THE LATEST REVISION OF ASTM A536-80. THE GLAND WILL HAVE A WEDGING ACTION THAT INCREASES AS LINE PRESSURE INCREASES. MINIMUM PRESSURE RATED 350 PSI. PACKAGED AS ONE UNIT, WILL INCLUDE "SBR" M.J. GASKET AND 12 EA. 3/4" X 5" CORTEN T-HEAD BOLTS AND MEGA LUG.</p> <p>Material # Manf Part# Manufacturer Name 10011377 SERIES 3000 STAR GRIP 10011376 SERIES 1400 UNIFLANGE 10011375 1116DSC, ROMAGRIP ROMAC 10011374 MEGALUG BY EBAA IRON EBBA IRON</p>		5	EA		
20	32005	<p>COUPLING,2IN,CAST BRONZE COUPLING, CAST BRONZE, 2 INCH.</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT"</p> <p><u>NOT ACCEPTABLE:</u></p> <p>MUELLER</p>		30	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053140

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
30	32116	<p>NIPPLE,3/4IN X 3IN,RED BRASS NIPPLE, 3/4 INCH X 3 INCH, MIPxMIP, RED BRASS.</p> <p>MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.</p>		50	EA		
40	31294	<p>GLAND PACK,8IN MEGALUG,MJ,DI 8IN RESTRAINING GLAND PACK, MECHANICAL JOINT, DUCTILE IRON, CONFORMING TO THE LATEST REVISION OF ASTM A536-80. THE GLAND WILL HAVE A WEDGING ACTION THAT INCREASES AS LINE PRESSURE INCREASES. MINIMUM PRESSURE RATED 350 PSI. PACKAGED AS ONE UNIT, WILL INCLUDE "SBR" MECHANICAL JOINT GASKET AND 6 EACH 3/4IN X 4-1/2IN CORTEN T-HEAD BOLTS AND MEGA LUG.</p> <p>Material # Manf Part# Manufacturer Name 10011336 STAR GRIP 3000 STAR GRIP 10011335 UNIFLANGE SERIES 1400 UNIFLANGE 10011333 ROMAGRIP ROMAC 10011332 #1108DSC EBBA IRON</p>		75	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053140

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
50	31295	<p>GLAND PACK,10IN MEGALUG,MJ,DI 10" RESTRAINING GLAND PACK. MECHANICAL JOINT. DUCTILE IRON, CONFORMING TO THE LATEST REVISION OF ASTM A536-80. THE GLAND WILL HAVE A WEDGING ACTION THAT INCREASES AS LINE PRESSURE INCREASES. MINIMUM PRESSURE RATED 350 PSI. PACKAGED AS ONE UNIT, WILL INCLUDE "SBR" M.J. GASKET AND 8 EA. 3/4" X 4-1/2" CORTEN T-HEAD BOLTS AND MEGA LUG. ALL MATERIALS MUST BE IN ORIGINAL MANUFACTURERS PACKAGING</p> <p>Material # Manf Part# Manufacturer Name 10011349 3000P SERIES STAR GRIP 10011348 1400 SERIES UNIFLANGE 10011347 ROMAGRIP ROMAC 10011346 1110DSC EBBA IRON</p>		5	EA		
60	31550	<p>REDUCER,12IN PE X 10IN MJ,DUCTILE IRON REDUCER, 12" PE X 10" MJ, DUCTILE IRON,COMPACT FITTING, CEMENT MORTAR LINED. MUST COMPLY WITH THE LATEST REVISIONS OF THE ANSI/AWWA C-110, C-104, AND C-153. NO ACCESSORIES.#</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.</p>		1	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053140

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
70	31742	<p>TEE,12IN X 12IN X 12IN,MECH JNT,DI TEE, MECHANICAL JOINT, 12" X 12" X 12", DUCTILE IRON, CEMENT MORTAR LINED. MUST COMPLY WITH THE LATEST REVISIONS OF THE ANSI/AWWA C-104, C-110, AND C-153. COMPACT FITTING.</p> <p>NO ACCESSORIES.#</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.</p>		2	EA		
80	32015	<p>COUPLING,2-1/2INX2IN,REDUCING,CAST BRONZ COUPLING, REDUCING, CAST BRONZE, 2-1/2IN. X 2IN, FNPT X FNPT</p> <p>"MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT"</p> <p><u>NOT ACCEPTABLE :</u></p> <p>MUELLER FORD</p>		48	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
 plainly marked with this

**REQUEST FOR
 QUOTATION
 6000053140**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
90	32065	<p>ELL,2IN,CAST BRONZE,90 DEG,FIPT X FIPT ELL, 90 DEGREE, CAST BRONZE, FIPT X FIPT</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT"</p> <p><u>NOT ACCEPTABLE:</u></p> <p>MUELLER FORD</p>		70	EA		
100	32133	<p>NIPPLE,2IN X 14IN,RED BRASS NIPPLE, 2IN X 14IN,RED BRASS.</p> <p>MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.</p>		50	EA		
110	32231	<p>RELAY,PLUG IN TERM,DPDT COIL,115VAC RELAY, PLUG-IN TERMINALS, D.P.D.T., COIL 115 VAC. 60H2, 0.010 AMP., 2580 OHMS, CONTACT RATING 5 AMP. ALLIED CONTROL OR APPROVED EQUAL.#</p>		1	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
 plainly marked with this

**REQUEST FOR
 QUOTATION
 6000053140**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
120	35584	<p>VALVE,8IN,CHECK,SWING,DUCTILE IRON,FLG VALVE, CHECK, 8IN, SWING, DI BODY, ANSI B16.1 FLANGED ENDS 250PSIG RATED,RESILIENT SEAT, RATED FOR DIRECT BURY AND FUSION BONDED EPOXY COATED INSIDE AND OUT, VALVE MUST MEET ANSI/AWWA C508 AND BE RATED FOR POTABLE WATER CONFORMING TO LATEST NSF 61 STANDARDS.</p> <p>APPROVED: AMERICAN FLOW CONTROL SERIES 2100 ONLY.</p> <p>Material # Manf Part# Manufacturer Name 10012470 AFC2108 AMERICAN FLOW CONTROL</p>		1	EA		
130	65833	<p>COUPLING,8IN,TRANSITION COUPLING, 8 INCH, TRANSITION, EXTENDED RANGE 8.60 IN TO 9.75 IN, DUCTILE IRON BODY, GLANDS AND BOLT GUIDES, NITRILE GASKETS, STAINLESS STEEL BOLTS, FUSION BONDED EPOXY COATED, WORKING PRESSURE UP TO 260 PSI, NSF 372 CERTIFIED.</p> <p>APPROVED: ROMAC MACRO HP EXTENDED RANGE COUPLING</p>		6	EA		



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053140

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
140	31296	<p>GLAND PACK,12IN MEGALUG,MJ,DI 12" RESTRAINING GLAND PACK. MECHANICAL JOINT. DUCTILE IRON, CONFORMING TO THE LATEST REVISION OF ASTM A536-80. THE GLAND WILL HAVE A WEDGING ACTION THAT INCREASES AS LINE PRESSURE INCREASES. MINIMUM PRESSURE RATED 350 PSI. PACKAGED AS ONE UNIT, WILL INCLUDE "SBR" M.J. GASKET AND 8 EA. 3/4" X 4-1/2" CORTEN T-HEAD BOLTS AND MEGA LUG.</p> <p>Material # Manf Part# Manufacturer Name 10011373 SERIES 3000 STAR GRIP 10011372 SERIES 1400 UNIFLANGE 10011371 #1112DSC, ROMAGRIP ROMAC 10011370 MEGALUG BY EBBA IRON EBBA IRON</p>		40	EA		
150	31297	<p>GLAND PACK,16IN MEGALUG,MJ,DI 16" RESTRAINING GLAND PACK. MECHANICAL JOINT. DUCTILE IRON, CONFORMING TO THE LATEST REVISION OF ASTM A536-80. THE GLAND WILL HAVE A WEDGING ACTION THAT INCREASES AS LINE PRESSURE INCREASES. MINIMUM PRESSURE RATED 350 PSI. PACKAGED AS ONE UNIT, WILL INCLUDE "SBR" M.J. GASKET AND 12 EA. 3/4" X 5" CORTEN T-HEAD BOLTS AND MEGA LUG.</p> <p>Material # Manf Part# Manufacturer Name 10011377 SERIES 3000 STAR GRIP 10011376 SERIES 1400 UNIFLANGE 10011375 1116DSC, ROMAGRIP ROMAC 10011374 MEGALUG BY EBAA IRON EBBA IRON</p>		10	EA		



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053140

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
160	31826	<p>VALVE,8IN,BUTTERFLY,MJ X MJ,COMPLETE VALVE,BUTTERFLY, 8IN.,MECHANICAL JOINT X MECHANICAL JOINT 2" SQUARE OPERATING NUT, OPERATING LEFT TO OPEN. THE VALVE IS FOR UNDERGROUND SERVICE, "MJ" PER AWWA STANDARD C-111/A21.1.THE VALVE SHALL BE PROVIDED COMPLETE WITH GLANDS GASKETS AND BOLTS AND MEET THE REQUIREMENTS OF AWWA STANDARD C-504-94, CLASS 150B OR THE LATEST REVISION THEREOF.</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.#</p> <p><u>APPROVED:</u></p> <p>HENRY PRATT "GROUND HOG" MUELLER "LINESEAL III" M&H/KENNEDY/CLOW 4500</p> <p><u>NOT ACCEPTABLE:</u></p> <p>DEZURICK BF VALVE#</p>		1	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053140

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
170	31830	<p>VALVE,16IN,BUTTERFLY,MJ X MJ,COMPLETE VALVE,BUTTERFLY, 16IN.,MECHANICAL JOINT X MECHANICAL JOINT 2" SQUARE OPERATING NUT, OPERATING LEFT TO OPEN. THE VALVE IS FOR UNDERGROUND SERVICE, "MJ" PER AWWA STANDARD C-111/A21.1.THE VALVE SHALL BE PROVIDED COMPLETE WITH GLANDS GASKETS AND BOLTS AND MEET THE REQUIREMENTS OF AWWA STANDARD C-504-94, CLASS 150B OR THE LATEST REVISION THEREOF.</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.</p> <p><u>APPROVED:</u> HENRY PRATT "GROUND HOG" MUELLER "LINESEAL III" M&H/KENNEDY/CLOW 4500</p> <p><u>NOT ACCEPTABLE:</u> DEZURICK BF VALVE#</p>		1	EA		
180	79116	<p>ADAPTER,16IN X 24IN,FLNG X PE,DI ADAPTER, 16IN X 24IN LONG, DUCTILE IRON, FLANGE BY PLAIN END, MORTAR LINED, CAST, FABRICATED USING SPECIAL CLASS 53 DUCTILE IRON PIPE WITH THREADED (SOLID BACK) DUCTILE IRON FLANGES, DRILLED AND FACED IN ACCORDANCE WITH ASME B16.1, CLASS 125 FLANGES. MUST COMPLY WITH THE LATEST REVISIONS OF AWWA STANDARDS; C-104, C-110, C-115, C-150,C-151 AND C-153.</p>		4	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053140

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
190	30793	<p>ADAPTER,2-1/2IN,FNST X MNPT,SWIV ADAPTER, 2-1/2IN FEMALE NATIONAL STANDARD THREAD X 2-1/2IN MALE NATIONAL PIPE THREAD, SWIVEL.</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT"</p> <p>Material # Manf Part# Manufacturer Name 30793 ALUMINUM 54 PART NUMBER N54-25F25 DIXON</p>		2	EA		
200	31540	<p>REDUCER,10IN MJ X 8IN FLNG,DI REDUCER, 10" MJ X 8" FLG, DUCTILE IRON, CEMENT MORTAR LINED. MUST COMPLY WITH THE LATEST REVISIONS OF THE ANSI/AWWA C-110, C-104 AND C-153.</p> <p>NO ACCESSORIES.</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.#</p>		1	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
 plainly marked with this

**REQUEST FOR
 QUOTATION
 6000053140**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
210	32130	NIPPLE,2IN X 4IN,RED BRASS NIPPLE, RED BRASS, 2 INCH X 4 INCH. RED BRASS, MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT		30	EA		
220	33244	WASHER,HOOK,CHAIN,B100 TAPPING MACHINE WASHER, HOOK, CHAIN, B100 TAPPING MACHINE, MUELLER NO 500707. Material # Manf Part# Manufacturer Name 33244 500707 MUELLER		2	EA		

Net Value	\$
Plus Tax at	
_____ %	\$
Total Amount	\$