


Event Addendum(s)

Table of Contents

Addendum 2 - 7/1/2025..... 2



Addendum 2 – 7/1/2025

REVISIONS TO:

RFB Specification No. ES24-0017F

CTP Aerobic Digesters Quad A Restoration and Improvements

NOTICE TO ALL RESPONDENTS:

This addendum is issued to clarify, revise, add to or delete from, the original specification documents for the above project. This addendum, as integrated with the original specification documents, shall form the specification documents. The noted revisions shall take precedence over previously issued specification documents and shall become part of this contract.

REVISIONS TO THE SUBMITTAL DEADLINE:

The submittal deadline has been changed to 11:00 a.m., Pacific Time, Tuesday, **July 15, 2025**

REVISIONS TO THE TECHNICAL SPECIFICATIONS:

Change No. 1 Revision to 01_11_00 Summary of Work

ADD paragraph B to Item 1.11


B. Photographs from a 2019 inspection of the inside of Quad A Towers have been included in Appendix A of the Technical Specifications. The Owner makes no guarantee that these photographs represent the current conditions of all or a portion of the inside of towers.

Change No. 2 Revision to 09_96_00 High Performance Protective Coatings for Metals

DELETE AND REPLACE subparagraph 4 of Paragraph 1.04B in its entirety with the following:

4. All field surface preparation and coating applications shall be performed by a AMPP QP1 Certified field painting Contractor or NACE Level 3 certification in good standing.

Change No. 3 Revision to 09_96_02 High Performance Protective Coatings for Concrete



Event Addendum(s)

DELETE AND REPLACE subparagraph 2 of Paragraph 1.06B in its entirety with the following:

2. SSPC QP1 certified or NACE Level 3.

Change No. 4 Revision to Appendix A of the Technical Specifications

ADD the photographs at the end of ES24-0017F Addendum No. 2 to the end of the Appendix A of the Technical Specifications.


NOTE: Acknowledge receipt of this addendum by initialing the corresponding space as indicated on the signature/proposal page. Vendors who have already submitted their bid/proposal may contact the Purchasing Division at 253-502-8468 and request return of their bid/proposal for acknowledgment and re-submittal. Or, a letter acknowledging receipt of this addendum may be submitted in an envelope marked RFB Specification No. ES24-0017F Addendum No. 2. The City reserves the right to reject any and all bids, including, in certain circumstances, for failure to appropriately acknowledge this addendum.



Event Addendum(s)




Photo 1: From below the level of the tank contents.



Event Addendum(s)



Photo 2: From above the level of the tank contents.



Event Addendum(s)



Photo 3: From above the level of the tank contents.