



City of Tacoma

## TACOMA PUBLIC UTILITIES WATER DIVISION

**ADDENDUM NO. 1**

**DATE:** July 8, 2025

### REVISIONS TO:

**Request for Bids Specification No. TW25-0020F  
Project No. MRP 2024-0038  
Golden Given Rd. E. and 99th St. E.  
Roundabout**

### NOTICE TO ALL BIDDERS:

This addendum is issued to clarify, revise, add to or delete from, the original specification documents for the above project. This addendum, as integrated with the original specification documents, shall form the specification documents. The noted revisions shall take precedence over previously issued specification documents and shall become part of this contract.

### REVISIONS TO THE SUBMITTAL DEADLINE:

The submittal deadline remains the same.

### REVISIONS TO THE PROPOSAL PAGES:

Original Bid Proposal Sheets are replaced in their entirety with the attached revised document. Line items have been added for HMA for Permanent Trench Patch, Test Holes and Traffic Lane Markings.

**NOTE:** Acknowledge receipt of this addendum by initialing the corresponding space as indicated on the Signature Page. Vendors who have already submitted their bid/proposal may contact the Purchasing Division at 253-502-8468 and request return of their bid/proposal for acknowledgment and re-submittal. Or, a letter acknowledging receipt of this addendum may be submitted in an envelope marked Request for Bids Specification No. TW25-0020F Addendum No. 1. The City reserves the right to reject any and all bids, including, in certain circumstances, for failure to appropriately acknowledge this addendum.

cc: Troy Saghafi, PE, Tacoma Water

# Addendum No. 1

TW25-0020F GOLDEN GIVEN RD E & 99TH ST E

ITEM NO.	SPEC NO.	ITEM DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL AMOUNT
WA1	1-09.7	Mobilization	LS	1		
WA2	1-10	Project Temporary Traffic Control	LS	1		
WA3	2-02.3(3)	Removal/Disposal of existing asphalt, concrete sidewalk/curbing & concrete pavement. Includes all thicknesses and combinations	SY	581		
WA4	7-09.5	Trench Excavation & Disposal	CY	1,089		
WA5	7-09.6	Trench Shoring	LF	1,161		
WA6	9-03.9(3)	Crushed Surfacing Top course for Trench Backfill	TN	1,652		
WA7	5-04	Temporary HMA Class ½" PG58-22, 2-inch minimum depth, installed & removed	SY	581		
WA8	5-04 & 9-03.8	HMA CI ½" PG58-22 pavement for permanent trench patch-6" in Depth	TN	10		
WA9	7-04	Storm, Sanitary, Side Sewer Restoration	EA	4		
WA10	9-30.1(1)	12-inch Ductile Iron Pipe, Push-On Joint, ANSI/AWWA, C151, Special Class Thickness No. 52, to furnish, lay and test	LF	710		
WA11	9-30.1(1)	10-inch Ductile Iron Pipe, Push-On Joint, ANSI/AWWA, C151, Special Class Thickness No. 52, to furnish, lay and test	LF	20		
WA12	9-30.1(1)	8-inch Ductile Iron Pipe, Push-On Joint, ANSI/AWWA, C151, Special Class Thickness No. 52, to furnish, lay and test	LF	415		
WA13	9-30.1(1)	6-inch Ductile Iron Pipe, Push-On Joint, ANSI/AWWA, C151, Special Class Thickness No. 52, to furnish, lay and test	LF	16		
WA14	9-30.2(1)	8-inch x 6-inch Ductile Iron Tee, 3-B, M.J., installed	EA	1		
WA15	9-30.2(1)	12-inch Ductile Iron vertical Ell, M.J., 45°, installed	EA	6		
WA16	9-30.2(1)	12-inch Ductile Iron Ell, M.J., 45°, installed	EA	8		
WA17	9-30.2(1)	12-inch x 10-inch Ductile Iron Reducer, M.J., installed	EA	2		
WA18	9-30.2(1)	12-inch Ductile Iron Cross, 3-B, M.J., installed	EA	1		
WA19	9-30.2(1)	8-inch Ductile Iron Ell, M.J., 45°, installed	EA	4		
WA20	9-30.2(1)	8-inch Ductile Iron vertical Ell, M.J., 45°, installed	EA	4		
WA21	9-30.2(1)	8-inch Ductile Iron Solid Sleeve (Long Pattern) M.J., installed	EA	1		
WA22	9-30.2(1)	12-inch Transition Coupling with 7-inch center ring, epoxy coating, and stainless steel bolts, C.I. to D.I., installed	EA	1		
WA23	9-30.2(1)	10-inch Transition Coupling with 7-inch center ring, epoxy coating, and stainless steel bolts, C.I. to D.I., installed	EA	2		
WA24	9-30.2(1)	12-inch Ductile Iron Cap, M.J., tapped 2", installed and removed	EA	4		
WA25	9-30.2(1)	10-inch Ductile Iron Cap, M.J., tapped 2", installed and removed	EA	2		
WA26	9-30.2(1)	8-inch Ductile Iron Cap, M.J., tapped 2", installed and removed	EA	2		
WA27	9-30.2(1)	Temporary 2-inch Blow-Off Assembly, installed and removed	EA	8		
WA28	9-30.2(1)	12-inch Mechanical Joint Restraining Glands	EA	23		
WA29	9-30.2(1)	10-inch Mechanical Joint Restraining Glands	EA	6		
WA30	9-30.2(1)	8-inch Mechanical Joint Restraining Glands	EA	17		
WA31	9-30.2(1)	6-inch Mechanical Joint Restraining Glands	EA	4		
WA32	9-30.2(1)	12-inch Push on Joint Restraining Gasket, installed	EA	3		
WA33	9-30.2(1)	8-inch Push on Joint Restraining Gasket, installed	EA	3		

# Addendum No. 1

ITEM NO.	SPEC NO.	ITEM DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL AMOUNT
WA34	7-09.5	Concrete Thrust Anchor, installed	EA	12		
WA35	7-09.5	Temporary Concrete Thrust Anchor, installed and removed	EA	8		
WA36	7-10	20-inch PVC casing, AWWA C-900, DR 25, including insulating casing spacers and end seals for 12-inch Ductile Iron pipe	LF	39		
WA37	7-09.5	Removal and disposal of abandoned DI pipe all sizes	LF	5		
WA38	7-09.5	Removal and disposal of abandoned AC pipe all sizes	LF	10		
WA39	7-09.5	Removal and disposal of abandoned PLS pipe all sizes	LF	5		
WA40	7-09.5	Asbestos cement Pipe removal and disposal plan (7-09.5)	LS	1		
WA41	7-09.3	Trench Compaction Test	EA	23		
WA42	7-09.3(6)&7-09.5	Test Holes (See Special Provisions)	LS	1		
WA43	9-30.4	12-inch B/F Valve, M.J., ANSI/AWWA, C509/515, with C.I. Valve Box	EA	3		
WA44	9-30.5	8-inch Gate Valve, M.J., ANSI/AWWA, C509/515, with C.I. Valve Box	EA	1		
WA45	9-30.6	6-inch Gate Valve, M.J., ANSI/AWWA, C509/515, with C.I. Valve Box	EA	1		
WA46	9-30.5(2)	6-inch Hydrant, M.J., 4.5-ft bury, with 4-inch Tacoma Standard Threads & 5-inch Quick Coupling	EA	1		
WA47	8-01.3(8)	Street cleaning with Self-propelled Pickup and Vacuum Street Sweeper Equipment	HR	16		
WA48	8-22	Traffic Lane Markings	LS	1		
WA49	8-01.3(1A)	Stormwater Pollution Prevention Plan (SWPPP)"	LS	1		
WA50	1-07.15(1)	SPCC Plan	LS	1		
WA51	8-01	Erosion and Sediment Control Specialist	LS	1		
WA52	1-09.6 & 8-01	Force Account - Erosion/Water Pollution Control	EST	1	\$ 10,000.00	\$ 10,000.00
WA53	1-09.6	Force Account	EST	1	\$ 60,000.00	\$ 60,000.00

<b>SUB-TOTAL</b>	<b>\$</b>
<b>10.1% SALES TAX</b>	<b>\$</b>
<b>TOTAL OF BID</b>	<b>\$</b>

WSDOT Standard specifications M41-10 referenced as guide in parenthesis ( ).