

**CITY OF TACOMA**  
**REQUEST FOR QUOTATION**  
**GENERAL TERMS AND CONDITIONS**

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

<http://cms.cityoftacoma.org/purchasing/StandardTermsandConditions.pdf>



**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION**  
**6000053327**

<b>Return Bids By 11:00 AM, 08/27/2025 to: <a href="mailto:sendbid@tacoma.gov">sendbid@tacoma.gov</a></b>
Anela Olson Power Warehouse ABN 4th Floor NE 3628 South 35th Street Tacoma WA 98409
<b>Material will ship to:</b>
Power Warehouse 3628 S 35th St (Rear) Tacoma WA 98409

<b>RFQ Information</b>	
Collective Bid #	PT25-0194N
Bid Issue Date	08/19/2025
Vendor Number	109226 WEB VENDOR FOR RFQ
<b>Vendor Information (vendor to complete)</b>	
<b>Firm Name:</b>	
<b>Address:</b>	
<b>City/State/Zip</b>	/ /
<b>Phone/Fax</b>	/
<b>E-Mail</b>	
<b>Contact Name</b>	
<b>Payment Terms</b>	%, days (e.g. 2% 10,N30)
<b>Tacoma Bus. Lic. #</b>	
<b>Taxpayer ID #</b>	
<b>SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID</b>	
x _____	DATE: ___ / ___ / _____
<b>NAME :</b> _____	
<b>TITLE :</b> _____	

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total										
	<p>The City of Tacoma, Tacoma Power is soliciting bids for a three (3) year contract to provide Crossarms on an as-needed basis for the period of February 16, 2026 through February 16, 2029 with the option for an additional two (2) one-year renewals.</p> <p>Price adjustments will be considered on a quarterly basis per the schedule below. Documentation shall be provided to support any proposed price increases. No price adjustments for vendor profit margin will be considered. Price adjustment dates will remain the same for contract renewal options.</p> <table border="0"> <tr> <td>Date of Adjustment Price</td> <td>Adjustment Request Due Date</td> </tr> <tr> <td>June 15, 2026</td> <td>June 1, 2026</td> </tr> <tr> <td>September 15, 2026</td> <td>September 1, 2026</td> </tr> <tr> <td>January 15, 2027</td> <td>January 1, 2027</td> </tr> <tr> <td>May 15, 2027</td> <td>May 1, 2027</td> </tr> </table> <p>All price escalations quoted shall be a percentage increase of the previous year's price. Any proposed price increase to contract line items must be beyond the control of the vendor and supported by written documentation from the manufacturer or wholesale distributor</p>	Date of Adjustment Price	Adjustment Request Due Date	June 15, 2026	June 1, 2026	September 15, 2026	September 1, 2026	January 15, 2027	January 1, 2027	May 15, 2027	May 1, 2027					
Date of Adjustment Price	Adjustment Request Due Date															
June 15, 2026	June 1, 2026															
September 15, 2026	September 1, 2026															
January 15, 2027	January 1, 2027															
May 15, 2027	May 1, 2027															



**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION**  
**6000053327**

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>indicating new higher cost adjustment in effect. Price increases will be adjusted only to the amount of cost increase to the vendor. Supporting documentation must be included with each request for price adjustment. No adjustment will be made for vendor profit margin.</p> <p>UNSCHEDULED ADJUSTMENTS</p> <p>At the City's discretion, the pricing adjustment terms may be waived for extraordinary conditions that could not have been known by either party at the time of bid or other circumstances beyond the control of both parties.</p> <p>Requests for increases or decreases, other than scheduled, shall be sent to City of Tacoma Procurement and Payables accompanied by documentation supporting the requested change. No other individual or City Department is authorized to approve such modifications. Changes shall be considered effective upon Supplier's receipt of a revised contract document. Concurrence is implied unless Supplier rejects the changes in writing immediately upon receipt of the revised contract document.</p> <p>Multiple contracts may be awarded from this bid. The quantities shown are estimates only and not a guarantee for any particular dollar or unit volume.</p> <p>NOTE: On the attached general terms and conditions, item # 9 does not apply to these stock items on this bid. Any equivalents submitted on this bid will be evaluated by the Tacoma Public Utilities Material Evaluation Committee at a later date for future contracts.</p> <p>Any bidder may be notified to clarify their bid proposals. This action shall not be construed as negotiations or an indication of intentions to award. The bidder must be able to provide the information within two (2) business days.</p> <p>All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.</p> <p>Updated Products: During the contract term, if items on the contract are being replaced and updated by the manufacturer, the supplier may submit the manufacturer information, technical specifications and pricing to the Purchasing Division for consideration. The supplier shall</p>					



**CITY OF TACOMA**

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION**  
**6000053327**

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>provide this updated product information to the Purchasing Division as soon as it becomes available by the manufacturer. If the replacement product is not approved, the vendor will be notified and the current item on the contract will be removed.</p> <p>Additional Products: The City of Tacoma reserves the right to add additional products with mutual agreement of the supplier as long as the same pricing structure/discount percentage applies, as given in the original contract.</p> <p>Other governmental entities in the State of Washington could potentially enter into contracts with the successful bidder(s) based on the same terms and conditions, through Interlocal Cooperative Purchasing provisions. The estimated usage listed in this solicitation does not include any Interlocal Cooperative usage, nor is it guaranteed.</p> <p>Please extend net price and provide net total value.</p> <p>Circle or underline the model/brand quoted or bid may be considered non-responsive. Delivery date will default to two weeks ARO if vendor fails to provide.</p> <p>Minimum order quantities not matching the amounts shown may not be accepted.</p> <p>***The City of Tacoma will accept e-mailed bid submittals sent to <a href="mailto:sendbid@tacoma.gov">sendbid@tacoma.gov</a> for this solicitation. Please include the Collective Bid Number, PT25-0194N, in the subject line of your e-mail. Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal.</p> <p>Submittals may be mailed to address on RFQ or faxed to 253-502-8372.</p> <p>WE ARE UNABLE TO VERIFY RECEIPT OF SUBMITTALS DUE TO THE LARGE VOLUME OF SUBMITTALS RECEIVED.</p> <p>RESPONSES MUST BE SUBMITTED ON THE PROVIDED CITY OF TACOMA BID SOLICITATION FORM. VENDOR SIGNATURE IS MANDATORY.</p> <p>City contact: Anela Olson, <a href="mailto:aolson1@tacoma.gov">aolson1@tacoma.gov</a></p>					



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000053327

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
10	<p><b>75511</b></p> <p><b>CROSSARM,8FT,FIBERGLASS,DEADEND</b>            CROSSARM, FIBERGLASS, DEADEND, 8FT X 3.5IN X 4.5IN, 8000 LBS MIN ULTIMATE LONGITUDINAL/HORIZONTAL LOAD PER CONDUCTOR POSITION, SHALL NOT EXCEED .45IN ARM DEFLECTION PER 1000LB CONDUCTOR LOADING, 5 EYE NUTS, BRONZE OR BROWN IN COLOR, FILLED WITH CLOSED CELL HIGH DENSITY FOAM, MOUNTING BRACKET TO BE ALUMINUM OR HOT DIP GALVANIZED STEEL/DUCTILE IRON WITH DOUBLE GUY ATTACHMENT AND 3/4IN MOUNTING HOLES, CONDUCTOR HARDWARE TO BE 5/8IN HOT DIP GALVANIZED, UV PROTECTION TO CONSIST OF UV INHIBITORS USED THROUGHOUT THE RESIN SYSTEM, UV RESISTANT POLYESTER CLOTH VEIL AND OUTER UV RESISTANT POLYURETHANE FINISH, CROSSARM TO BE PERMANENTLY MARKED WITH THE MANUFACTURER#S NAME OR LOGO AND THE DATE OF MANUFACTURE, SHALL BE SHIPPED FULLY ASSEMBLED</p> <p>Material #      Manf Part#      Manufacturer Name            10010911      DA2500096E3TP13      PUPI CROSSARMS            10010910      HDB096G12255TAC      SHAKESPEARE COMPOSITE STRUCTURES            10011571      FDA25B-3-96-EB-IP-FG-HWT      ALUMA FORM            10011860      SD6096325L      CREATIVE PULTRUSIONS            10013050      PW08LG740-3EB      MACLEAN</p>		225	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000053327

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
20	18940	<p><b>CROSSARM,11FT STD,FIR</b>            CROSSARM, 11 FT STANDARD, DOUGLAS FIR, 3-3/4IN X 4-3/4IN X 11FT, 4 PIN, FULLY PRESSURE TREATED WITH PENTACHLOROPHENAL AWPA STD P35 OR DCOI AWPA STD P39, MEETS AWPA STDS U1 AND T1 SAWN PRODUCTS USE CATEGORY 3B, MANUFACTURED PER ANSI STANDARD O5.3 INCLUDING 3/8 INCH CHAMFER, REFER TO TACOMA POWER CONSTRUCTION STANDARD A-OH-1300 FOR DIMENSIONS AND HOLE SPACING/DIAMETERS, ALL CROSSARMS MUST BE SHIPPED ON FLATBED TRAILERS - NO ENCLOSED TRAILERS, MSDS MUST BE PROVIDED WITH FIRST SHIPMENT</p>		800	EA		
30	18941	<p><b>CROSSARM,8FT STD,FIR</b>            CROSSARM, 8 FT STANDARD, DOUGLAS FIR, 4-1/2IN X 3-1/2IN X 8FT, 4 PIN, FULLY PRESSURE TREATED WITH PENTACHLOROPHENAL AWPA STD P35 OR DCOI AWPA STD P39, MEETS AWPA STDS U1 AND T1 SAWN PRODUCTS USE CATEGORY 3B, MANUFACTURED PER ANSI STANDARD O5.3 INCLUDING 3/8 INCH CHAMFER, REFER TO TACOMA POWER CONSTRUCTION STANDARD A-OH-1300 FOR DIMENSIONS AND HOLE SPACING/DIAMETERS, ALL CROSSARMS MUST BE SHIPPED ON FLATBED TRAILERS - NO ENCLOSED TRAILERS, MSDS MUST BE PROVIDED WITH FIRST SHIPMENT</p>		1,500	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be  
 plainly marked with this

## REQUEST FOR QUOTATION 6000053327

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
40	75512	<p><b>CROSSARM,11FT,FIBERGLASS,DEADEND</b>            CROSSARM, FIBERGLASS, DEADEND, 11FT X 3.5IN X 4.5IN, 6500 LBS MIN ULTIMATE LONGITUDINAL/HORIZONTAL LOAD PER CONDUCTOR POSITION, SHALL NOT EXCEED 1.25IN ARM DEFLECTION PER 1000LB CONDUCTOR LOADING, 9 EYE NUTS, BRONZE OR BROWN IN COLOR, FILLED WITH CLOSED CELL HIGH DENSITY FOAM, MOUNTING BRACKET TO BE ALUMINUM OR HOT DIP GALVANIZED STEEL/DUCTILE IRON WITH DOUBLE GUY ATTACHMENT AND 3/4IN MOUNTING HOLES, CONDUCTOR HARDWARE TO BE 5/8IN HOT DIP GALVANIZED, UV PROTECTION TO CONSIST OF UV INHIBITORS USED THROUGHOUT THE RESIN SYSTEM, UV RESISTANT POLYESTER CLOTH VEIL AND OUTER UV RESISTANT POLYURETHANE FINISH, CROSSARM TO BE PERMANENTLY MARKED WITH THE MANUFACTURER#S NAME OR LOGO AND THE DATE OF MANUFACTURE, SHALL BE SHIPPED FULLY ASSEMBLED</p> <p>Material #      Manf Part#      Manufacturer Name            10010913      DA3000132E5TP13      PUPI CROSSARMS            10010912      HDB132G12495TAC      SHAKESPEARE COMPOSITE STRUCTURES            10011572      FDA30B-3/4-132-EB-IP-FG-HWU      ALUMA FORM            10011861      SD8132349L      CREATIVE PULTRUSIONS</p>		295	EA		



**CITY OF TACOMA**

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION**  
**6000053327**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
50	18944	<p><b>CROSSARM,11FT HVY,FIR</b>            CROSSARM, 11 FT HEAVY, DOUGLAS FIR, 5-3/4IN X 5-3/4IN X 11FT, 4 PIN, FULLY PRESSURE TREATED WITH PENTACHLOROPHENAL AWPA STD P35 OR DCOI AWPA STD P39, MEETS AWPA STDS U1 AND T1 SAWN PRODUCTS USE CATEGORY 3B, MANUFACTURED PER ANSI STANDARD O5.3 INCLUDING 3/8 INCH CHAMFER, REFER TO TACOMA POWER CONSTRUCTION STANDARD A-OH-1300 FOR DIMENSIONS AND HOLE SPACING/DIAMETERS, ALL CROSSARMS MUST BE SHIPPED ON FLATBED TRAILERS - NO ENCLOSED TRAILERS, MSDS MUST BE PROVIDED WITH FIRST SHIPMENT</p>		170	EA		
60	18945	<p><b>CROSSARM,13 FT HVY,FIR</b>            CROSSARM, 13 FT HEAVY, DOUGLAS FIR, 7IN X 5IN X 13FT, 6 PIN, FULLY PRESSURE TREATED WITH PENTACHLOROPHENAL AWPA STD P35 OR DCOI AWPA STD P39, MEETS AWPA STDS U1 AND T1 SAWN PRODUCTS USE CATEGORY 3B, MANUFACTURED PER ANSI STANDARD O5.3 INCLUDING 3/8 INCH CHAMFER, REFER TO TACOMA POWER CONSTRUCTION STANDARD A-OH-1300 FOR DIMENSIONS AND HOLE SPACING/DIAMETERS, ALL CROSSARMS MUST BE SHIPPED ON FLATBED TRAILERS - NO ENCLOSED TRAILERS, MSDS MUST BE PROVIDED WITH FIRST SHIPMENT</p>		20	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000053327

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
70	18946	<b>CROSSARM,13FT STD,FIR</b> CROSSARM, 13 FT STANDARD, DOUGLAS FIR, 5-3/4IN X 4-3/4IN X 13 FT, 6 PIN, FULLY PRESSURE TREATED WITH PENTACHLOROPHENAL AWPA STD P35 OR DCOI AWPA STD P39, MEETS AWPA STDS U1 AND T1 SAWN PRODUCTS USE CATEGORY 3B, MANUFACTURED PER ANSI STANDARD O5.3 INCLUDING 3/8 INCH CHAMFER, REFER TO TACOMA POWER CONSTRUCTION STANDARD A-OH-1300 FOR DIMENSIONS AND HOLE SPACING/DIAMETERS, ALL CROSSARMS MUST BE SHIPPED ON FLATBED TRAILERS - NO ENCLOSED TRAILERS, MSDS MUST BE PROVIDED WITH FIRST SHIPMENT		40	EA		
80	18942	<b>CROSSARM,8FT,HVY,FIR</b> CROSSARM, 8 FT HEAVY, DOUGLAS FIR, 5-3/4IN X 5-3/4IN X 8FT, 4 PIN, FULLY PRESSURE TREATED WITH PENTACHLOROPHENAL AWPA STD P35 OR DCOI AWPA STD P39, MEETS AWPA STDS U1 AND T1 SAWN PRODUCTS USE CATEGORY 3B, MANUFACTURED PER ANSI STANDARD O5.3 INCLUDING 3/8 INCH CHAMFER, REFER TO TACOMA POWER CONSTRUCTION STANDARD A-OH-1300 FOR DIMENSIONS AND HOLE SPACING/DIAMETERS, ALL CROSSARMS MUST BE SHIPPED ON FLATBED TRAILERS - NO ENCLOSED TRAILERS, MSDS MUST BE PROVIDED WITH FIRST SHIPMENT		20	EA		

<b>Net Value</b>	\$
<b>Plus Tax at</b>	
_____ %	\$
<b>Total Amount</b>	\$