

**CITY OF TACOMA**  
**REQUEST FOR QUOTATION**  
**GENERAL TERMS AND CONDITIONS**

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

<http://cms.cityoftacoma.org/purchasing/StandardTermsandConditions.pdf>



**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION**  
**6000053384**

<b>Return Bids By 11:00 AM, 10/17/2025 to: <a href="mailto:sendbid@tacoma.gov">sendbid@tacoma.gov</a></b>
Merry Elizabeth Mitchell Water Purchasing ABN 4th Floor NE 3628 South 35th Street Tacoma WA 98409
<b>Material will ship to:</b>
Water Warehouse 3506 S 35th St Tacoma WA 98409

<b>RFQ Information</b>	
Collective Bid #	TW25-0266N
Bid Issue Date	10/07/2025
Vendor Number	109226 WEB VENDOR FOR RFQ
<b>Vendor Information (vendor to complete)</b>	
<b>Firm Name:</b>	
<b>Address:</b>	
<b>City/State/Zip</b>	/ /
<b>Phone/Fax</b>	/
<b>E-Mail</b>	
<b>Contact Name</b>	
<b>Payment Terms</b>	%, days (e.g. 2% 10,N30)
<b>Tacoma Bus. Lic. #</b>	
<b>Taxpayer ID #</b>	
<b>SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID</b>	
x _____	DATE: ___ / ___ / _____
<b>NAME :</b> _____	
<b>TITLE :</b> _____	

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>The City of Tacoma is soliciting bids for purchase of Hardware Non-Electrical (Stock) &amp; Operating Supplies (Stock)</p> <p>Submittals may be e-mailed to <a href="mailto:sendbid@tacoma.gov">sendbid@tacoma.gov</a> for this solicitation.</p> <p>Please include the Collective Bid Number, TW25-0266N, in the subject line of your e-mail.</p> <p>Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal. The city accepts no responsibility for transmission errors.</p> <p>We are unable to verify receipt of submittals due to the large volume of submittals received.</p> <p>Extend net price and provide net total value. All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.</p> <p>Materials must be new and unused. No substitutes are allowed. Substitute items will be returned at vendor's expense.</p>					



**CITY OF TACOMA**

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be  
 plainly marked with this

**REQUEST FOR  
 QUOTATION  
 6000053384**

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
10	<p>Delivery date will default to two weeks ARO if vendor fails to provide.</p> <p>Please Circle or underline the part number and manufacturer quoted or bid may be considered non-responsive.</p> <p>If applicable, you must select from the approved manufacturer(s) listed. Substitutions will not be approved at the time of the bid awarding. If you have a material that you would like to have added, it must be submitted for review and approved by the City of Tacoma's Material Committee before the bid issue date listed on this request for quotation. For more information regarding this process, please contact: Merry Mitchell, mmitchell@tacoma.gov</p> <p>Responses MUST BE SUBMITTED on the provided City of Tacoma bid solicitation form. Vendor signature is MANDATORY.</p> <p>Bid results will be posted at:  <a href="http://www.cityoftacoma.org/government/city_deparents/finance/procurement_and_payables_division/purchasing/bid_results/">http://www.cityoftacoma.org/government/city_deparents/finance/procurement_and_payables_division/purchasing/bid_results/</a></p> <p>Note: You must register at this website as a bid holder for each solicitation of interest in order to receive notification regarding amendments or other updates to the original bid solicitation documents.</p> <p>City Contact: Merry Mitchell, mmitchell@tacoma.gov</p> <p><b>10023 PADLOCK,ONE TIME LOCK,KEYLESS,DISPOSABLE</b></p> <p>PADLOCK, ZINC PLATED FORMED STEEL, KEYLESS ROTARY SHACKLE DESIGN, DISPOSABLE.</p> <p>Material #            Manf Part#    Manufacturer Name            10023                JR-OS        ENGINEERING UNLIMITED</p>		800	EA		



**CITY OF TACOMA**

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION**  
**6000053384**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total												
20	35489	<p><b>CLAMP,6IN X 3/4IN CC,SVC,CI/AC PIPE</b>            CLAMP, SERVICE, 6 INCH X 3/4 INCH CC(AWWA) THREAD OUTLET, DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4 EACH 5/8 STUDS), STAINLESS STEEL 1-1/16 INCH HEX NUTS AND WASHERS. RANGE 6.90" - 7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION.</p> <p>*****            Not Acceptable: Robar, JCM            *****</p> <table border="0"> <tr> <td>Material #</td> <td>Manf Part#</td> <td>Manufacturer Name</td> </tr> <tr> <td>10004209</td> <td>202S</td> <td>ROMAC</td> </tr> <tr> <td>10004208</td> <td>FCD202-761-CC3</td> <td>FORD METER BOX CO</td> </tr> </table>	Material #	Manf Part#	Manufacturer Name	10004209	202S	ROMAC	10004208	FCD202-761-CC3	FORD METER BOX CO		45	EA					
Material #	Manf Part#	Manufacturer Name																	
10004209	202S	ROMAC																	
10004208	FCD202-761-CC3	FORD METER BOX CO																	
30	33881	<p><b>PAINT,SPRAY,PRIMER,GRAY</b>            PAINT, SPRAY, PRIMER GRAY, 20 OZ CAN, ALL PURPOSE.</p> <table border="0"> <tr> <td>Material #</td> <td>Manf Part#</td> <td>Manufacturer Name</td> </tr> <tr> <td>10000109</td> <td>1359</td> <td>KRYLON</td> </tr> <tr> <td>10000110</td> <td>Z8072</td> <td>AERVOE</td> </tr> <tr> <td>10012200</td> <td>V2182838</td> <td>RUSTOLEUM</td> </tr> </table>	Material #	Manf Part#	Manufacturer Name	10000109	1359	KRYLON	10000110	Z8072	AERVOE	10012200	V2182838	RUSTOLEUM		48	CAN		
Material #	Manf Part#	Manufacturer Name																	
10000109	1359	KRYLON																	
10000110	Z8072	AERVOE																	
10012200	V2182838	RUSTOLEUM																	
40	36408	<p><b>SLEEVE,24IN,SOLID,MJ,DI,CD,LONG ****</b>            SLEEVE, 24 INCH, SOLID, MECHANICAL JOINT, DUCTILE IRON, LONG PATTERN. C-D RANGE. 25.80IN-26.40IN, RANGE MUST BE INDICATED ON THE BODY OF FITTING. MUST COMPLY WITH THE LATEST REVISION OF THE ANSI/AWWA C-110. NO ACCESSORIES.</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.</p>		2	EA														



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000053384

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
50	78612	<b>GLAND PACK,24IN,MEGALUG,MJ,DI</b> 24" RESTRAINING GLAND PACK. MECHANICAL JOINT. DUCTILE IRON, CONFORMING TO THE LATEST REVISION OF ASTM A536-80. THE GLAND WILL HAVE A WEDGING ACTION THAT INCREASES AS LINE PRESSURE INCREASES. MINIMUM PRESSURE RATED 350 PSI. PACKAGED AS ONE UNIT, WILL INCLUDE "SBR" M.J. GASKET AND 8 EA. 3/4" X 4-1/2" CORTEN T-HEAD BOLTS AND MEGA LUG.		5	EA		
60	30804	<b>ADAPTER,8IN X 24IN,FLNG X FLNG,DI</b> ADAPTER, FLANGE X FLANGE, 8INCH INSIDE DIAMETER X 24 INCH LAYING LENGTH, DUCTILE IRON, MORTAR LINED. CAST CLASS 52 OR FABRICATED USING SPECIAL CLASS 53 DI PIPE WITH THREADED (SOLID BACK) DUCTILE IRON FLANGES(CLASS 125). MUST COMPLY WITH THE LATEST REVISIONS OF AWWA STANDARDS; C-104, C-110, C-115, C-150, C-151 AND C-153.		6	EA		
70	31238	<b>KEY,VALVE,WATER SERVICE,5FT LG,COMB</b> KEY, VALVE, WATER SERVICE, 5FT LONG, COMBINATION GATE AND SERVICE, PER SAMPLE AVAILABLE FOR VIEWING AT WATER DIVISION WAREHOUSE.		9	EA		
80	31419	<b>PIPE,8IN,MECHANICAL JOINT,DUCTILE IRON</b> PIPE, 8IN, MECHANICAL JOINT, DUCTILE IRON, SPECIAL THICKNESS CLASS 52, 18 FOOT LENGTHS, CEMENT MORTAR LINED PER ANSI/AWWA C-104. MUST COMPLY WITH THE LATEST REVISION OF THE ANSI/AWWA C-111 AND C-151.  ***NO ACCESSORIES***		180	FT		
	Material #	Manf Part#	Manufacturer Name				
	10011394	U.S. PIPE	US PIPE				
	10011393	MCWANE PIPE	MCWANE DUCTILE				



**CITY OF TACOMA**

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION**  
**6000053384**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
90	31468	<p><b>PLUG,8IN,PIPE,DI,MECHANICAL JOINT</b>            PLUG, PIPE, 8 INCH DUCTILE IRON, MECHANICAL JOINT, 6 HOLES, SOLID, NOT TAPPED, WITHOUT BOLTS, GASKETS OR GLANDS. FITTING TO COMPLY WITH ANSI/AWWA C104 AND ANSI/AWWA C153.</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST BE MANUFACTURED WITHIN TWO YEARS OF THE DATE OF THE PURCHASE ORDER UNLESS PRIOR APPROVAL IS OBTAINED FROM TACOMA WATER.</p>		2	EA		
100	32029	<p><b>FITTING,2IN,COMPRESSION,COMP X MIPT</b>            COMPRESSION FITTING, 2 INCH, OUTSIDE IRON PIPE X COMPRESSION, FOR O.D. CTS TUBING.</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT</p> <p>*NOT ACCEPTABLE MUELLER, FORD</p> <p>*****            No Substitution            *****</p> <p>APPROVED            A.Y. MCDONALD 74753Q</p> <p>Material #      Manf Part#      Manufacturer Name            10005080      74753Q      A.Y. MCDONALD            10006965      C84-77-QNL      FORD METER BOX CO</p>		150	EA		



**CITY OF TACOMA**

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be  
plainly marked with this

**REQUEST FOR  
QUOTATION  
6000053384**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
110	32076	<p><b>ELL,2IN,STREET,CAST BRONZE,90 DEG</b>  ELL, 2 INCH, STREET, 90 DEGREE, CAST BRONZE</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION  MUST MEET NSF/ANSI 372</p> <p>*NOT ACCEPTABLE MUELLER, FORD*</p>		40	EA		
120	35527	<p><b>VALVE,8IN,GATE,FLNG X FLNG</b>  GATE, VALVE, FLANGE X FLANGE, 8", CAST IRON,  WITH 2" OPERATING NUT WHICH OPERATES LEFT TO  OPEN (COUNTER CLOCK WISE), NON RISING STEM, UL  LISTED AND FM APPROVED VALVES SHALL CONFORM  TO THE LATEST REVISION OF AWWA C515 AND AWWA  C550. FLANGED ENDS SHALL CONFORM TO  C110/A21.10, (ANSI B16.1, CLASS 125)</p> <p>Material provided under this specification must be  manufactured within two years of the date of the purchase  order unless prior approval is obtained from Tacoma Water.</p> <p>Material #      Manf Part#      Manufacturer Name  10004325      STYLE 2360      MUELLER  10004324      METROSEAL 250      US PIPE  10004323      STYLE 4067      M&amp;H  10004322      MODEL RWGV-96      KENNEDY  10004321      RS      CLOW VALVE CO  10009940      SERIES 2500      AMERICAN FLOW CONTROL  10009025      FLOW MASTER      EAST JORDAN IRON WORKS  10006861      25-200-40      AVK International</p>		5	EA		



**CITY OF TACOMA**

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be  
 plainly marked with this

**REQUEST FOR  
 QUOTATION  
 6000053384**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
130	32167	<p><b>TUBING,3/4IN,COPPER,TYPE K</b>            TUBING, 3/4 INCH, COPPER, SEAMLESS, TYPE "K", ANNEALED, 60 FOOT COILS.</p> <p>THE MATERIAL SHALL BE SUPPLIED IN CONFORMANCE WITH ASTM B88-STANDARD SPECIFICATION FOR SEAMLESS COPPER WATER TUBE FOR POTABLE WATER APPLICATIONS.</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF 61/ANSI 372</p> <p>*****            NOT ACCEPTABLE: MUELLER            *****</p>		12,000	FT		
140	77370	<p><b>HEATER,PORTABLE,5700 WATT,ALMOND</b>            HEATER,PORTABLE,KING KBP2406 5700-WATT MAX, 240-VOLT SINGLE PHASE PAW UNIT HEATER, ALMOND COLOR</p> <p>Material #      Manf Part#      Manufacturer Name            77370              KBP2406      KING</p>		2	EA		
150	30598	<p><b>BOLT,3/4IN X 3-1/2IN,MCHN,STEEL,HEX HD,Z</b>            BOLT, MACHINE, STEEL, 3/4"-10 X 3-1/2" HEX HEAD. BRIGHT ZINC PLATED. GRADE #2, 100 PER BOX.</p>		100	EA		
160	33705	<p><b>YOKE,ASSEMBLY CLAYTON VALVE</b>            YOKE ASSY. REF. C-1799 CLAYTON VALVE.#</p> <p>Material #      Manf Part#      Manufacturer Name            33705              C-1799      CLA-VAL</p>		3	EA		
170	33813	<p><b>VALVE,3/8IN,PILOT,CRA,15 TO 75 PSI</b>            VALVE, PILOT, CRA, 3/8", 15 TO 75 PSI, 1/4"SEAT CLA-VAL NUMBER 7974403#</p> <p>Material #      Manf Part#      Manufacturer Name            33813              7974403      CLA-VAL</p>		2	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000053384

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
180	33900	<p><b>CLAMP,1/2IN-1IN,HOSE,SS</b>            CLAMP,HOSE,ALL STAINLESS            STEEL,ADJUSTABLE.RANGE-FROM 1/2 IN. TO 1 IN.            INCLUDING S.S.SCREW.#</p> <p>Material #      Manf Part#      Manufacturer Name            10000176      V010      BAND-IT            10000174      HAS10 OR HHS10      DIXON            10000173      620-010      TRIDON            10000172      10HS      WITTEK            10000175      6810      IDEAL CLAMP PRODUCTS</p>		50	EA		
190	30668	<p><b>CAPSULE,VAPOR,VC2-2</b>            CAPSULE - VAPOR, ZERUST NO VC2-2, FOR            CORROSION            PREVENTION OF ELECTRICAL EQUIPMENT#</p>		50	EA		
200	30805	<p><b>ADAPTER,10IN ID X 24IN,FLNG X FLNG,DI</b>            ADAPTER,FLANGE X FLANGE, 10" ID X 24" LAYING            LENGTH. DUCTILE IRON, MORTAR LINED, CAST CLASS            52 OR FABRICATED USING SPECIAL CLASS 53 DI PIPE            WITH THREADED(SOLID BACK) DUCTILE IRON            FLANGES(CLASS 125). MUST COMPLY WITH THE            LATEST REVISIONS OF AWWA STANDARDS; C-104,            C-110, C-115, C-150, C-151 AND C-153.</p>		8	EA		
210	30923	<p><b>SODIUM HYPOCHLORITE, LIQUID,12 PERCENT</b>            DISINFECTANT, SODIUM HYPOCHLORITE, LIQUID, ONE            GALLON, (3.785 LITERS), RE-SEALABLE(AIRTIGHT)            PLASTIC CONTAINERS, 12 PERCENT AVAILABLE            CHLORINE. SODIUM HYPOCHLORITE FURNISHED            UNDER THESE SPECIFICATION SHALL BE IN            ACCORDANCE WITH AWWA SPECIFICATION B300, OF            LATEST EDITION.</p>		120	GAL		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000053384

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
220	31473	<p><b>PLUG,PIPE,10IN,DI,MECHANICAL JOINT</b>            PLUG, PIPE, 10", DUCTILE IRON, MECHANICAL JOINT.            PLUG MUST MEET REQUIREMENTS OF THE LATEST ANSI/AWWA C110/A21.10-87, ANSI/AWWA C104/A21.4-85 AND C-153</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST BE MANUFACTURED WITHIN TWO YEARS OF THE DATE OF THE PURCHASE ORDER UNLESS PRIOR APPROVAL IS OBTAINED FROM TACOMA WATER.</p>		4	EA		
230	32116	<p><b>NIPPLE,3/4IN X 3IN,RED BRASS</b>            NIPPLE, 3/4 INCH X 3 INCH, MIPxMIP, RED BRASS.</p> <p>MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.</p>		50	EA		
240	44156	<p><b>NIPPLE,1IN X 12IN,RED BRASS</b>            NIPPLE, RED BRASS, 1IN X 12IN.</p> <p>MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.</p>		20	EA		
250	44425	<p><b>HOSE, 2-1/2" X 10', 2-1/2" MNST X FNST</b>            HOSE, 2-1/2IN X 10 FOOT LONG, LAY FLAT, 2-1/2IN MNST X 2-1/2IN FNST ALUMINUM FITTINGS, DOUBLE JACKETED POLYESTER COVER, WITH EPDM OR NEOPRENE LINING, 300 PSI MINIMUM WORKING PRESSURE.</p>		10	EA		

<b>Net Value</b>	<b>\$</b>
<b>Plus Tax at</b>	<b>\$</b>
_____ %	<b>\$</b>
<b>Total Amount</b>	<b>\$</b>